

MP



Justor

MP



Muelle pernio

- Cierra la puerta automáticamente.
- Resistencia del muelle 250.000 ciclos.

Molla pern

- Tanca la porta automàticament.
- Resistència de la molla 250.000 cicles.

Spring hinge

- For swing doors.
- Spring resistance 250.000 cycles.

Paumelle ressort

- Ferme la porte automatiquement.
- Résistance du ressort 250.000 cycles.


Perno a molla

- Chiude la porta automaticamente.
- Resistenza della molla 250.000 cicli.


Federscharnier

- Schließt der Tür automatisch.
- Feder Lebensdauer 250.000 Zyclen.

AL



- Tubo interior inox AISI 304.
- Potencia de cierre graduable.
- Tub interior inox AISI 304.
- Potència de tancament regulable.
- Stainless interior tube AISI 304.
- Adjustable strength.
- Tube interne inox AISI 304.
- Réglable en puissance.
- Tubo interno in acciaio inox AISI 304.
- Regolabile in potenza.
- Inneres Rohr von Edelstahl AISI 304.
- Einstellbare Schließkraft.



Plata - Silver - Argent - Argento - Silber *

Oro - Or - Gold *

Bronce - Bronze - Bronzo *


Anod. Inox - Anod. Inox - Anod. stainless steel - Anod. inoxydable - Anod. inossidabile - Anod. Edelstahl *

Negro - Negre - Black - Noir - Nero - Schwarz *

Blanco - Blanc - White - Bianco - Weiß **

* Anodizado - Anoditzat - Anodised - Anodisé - Anodizzato - Eloxierter

** Pintado - Pintat - Painted - Laqué - Verniciato - Lackiert




- De fácil graduación.
- De fácil graduació.
- Easy graduation.
- Réglage facile.
- Regolazione facile.
- Einfache Gradierung.



x 1

Justor



Justor

Talleres Trepats SA, Zona industrial "Els Garrofers" Avda. del Progrés, 40
08340 Vilassar de Mar (Barcelona) SPAIN Tel. (34) 93 754 06 00 Fax (34) 93 754 06 01
E-mail: ttrepat@justor.com www.justor.com

